



School Spirit

Appliqué Letters




On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.

See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.




School Spirit

Appliqué Letters




On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.

See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.



School Spirit


Appliqué Letters



On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line.

Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse.

Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.




See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.

School Spirit

From QUILTMAKER
September/October 2001 issue #81

<http://www.quiltmaker.com>

Appliqué Letters




On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line.

Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse.

Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.

See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.




School Spirit

From QUILTMAKER
September/October 2001 issue #81

<http://www.quiltmaker.com>

Appliqué Letters


On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.




See our "School Spirit" quilt in the
September/October 2001 issue #81 of
QUILTMAKER magazine for complete
quilt directions.

School Spirit

Appliqué Letters




On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.



See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.


School Spirit

Appliqué Letters




On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.

See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.




School Spirit

Appliqué Letters



On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.

See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.




School Spirit


From QUILTMAKER
September/October 2001 issue #81

<http://www.quiltmaker.com>

Appliqué Letters




On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.



See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.


School Spirit

Appliqué Letters




On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.

See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.




School Spirit

Appliqué Letters



On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.



See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.

From QUILTMAKER magazine

School Spirit

From QUILTMAKER
September/October 2001 issue #81

<http://www.quiltmaker.com>

Appliqué Letters


On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line. Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse. Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.

See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.



School Spirit


Appliqué Letters



On the paper side of a fusible product, trace the outer line of each reversed letter; then make a separate tracing on each letter's inner line.

Following the manufacturer's instructions, fuse the webbing to the wrong sides of the chosen fabrics. Cut out each letter on the drawn line, peel away the paper and arrange the wider letters on the patch. Center narrower letters over the wider ones and fuse.

Using a close, medium-width satin stitch and thread to match each letter, sew over the raw edges of the applique.



See our "School Spirit" quilt in the September/October 2001 issue #81 of QUILTMAKER magazine for complete quilt directions.